



Hand-held Refractometers

MASTER of REFRACTOMETRY



По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41

Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

сайт: www.atago.nt-rt.ru || эл. почта: ago@nt-rt.ru



HAND-HELD REFRACTOMETERS

MASTER series

Design Registration No.000379326-0001, 000379326-0002 (EU) ZL 2005 3 0116403.4,5 (China), D111526 (Taiwan)
1255763, 1255764, 1255765, 1255766, 1255767 (Japan) Patent pending in U.S.A. and all other countries around the world.

Wide variety of ATAGO's Hand-Held Refractometers. Pick up the best refractometer depending on the type of sample and its environment.

Hand-held refractometers MASTER qseries

NON A.T.C. model	A.T.C. & Water Resistant (IP65) model	A.T.C. model	A.T.C. & Water Resistant (IP65) (Heat Resistant model)
MASTER-M MASTER-2M MASTER-3M MASTER-4M MASTER-53M MASTER-RI (nD)	MASTER-α MASTER-2α MASTER-3α MASTER-4α MASTER-53α	MASTER-T MASTER-2T MASTER-3T MASTER-4T MASTER-53T	MASTER-50H MASTER-80H MASTER-93H MASTER-100H

MASTER SERIES REFRACTOMETER (WATER RESISTANT & A.T.C.)

MASTER-α Cat.No. 2311

NEW

This new type of Hand-Held refractometer is the first to be equipped with Automatic Temperature Compensation and Water Resistant (IP65) at the same time. While featuring functions such as Easy-to-Read, Easy-to-Hold, Smooth sampling, Easy disposal of sample from the edge, the improvement of hygiene aspect by employing the new type of grip, and well balanced structure, emphasis is also placed on its design, well exemplified by the streamlined body and the strong grip with rich texture.

Scale range	: Brix 0.0 to 33.0% (Automatic Temperature Compensation)
Minimum scale	: 0.2%
Accuracy	: $\pm 0.2\%$ (10 to 30°C)
Repeatability	: Brix $\pm 0.1\%$
International protection class	: IP65 (except eye piece)
Size and weight	: 3.3×3.3×20.4cm, 160g



MASTER SERIES REFRACTOMETER (WATER RESISTANT & A.T.C.)

MASTER-2α Cat.No. 2321

NEW

MASTER-2α is mid-range measurement range Brix 28.0 to 62.0% model of the MASTER-α. It is convenient for measuring a variety of sauces, soy sauce, seasoning in liquid form as well as for low-sugar jams and spreads. It is an Automatic Temperature Compensation (A.T.C.) model with water resistant properties (IP65).

Scale range	: Brix 28.0 to 62.0% (Automatic Temperature Compensation)
Minimum scale	: 0.2%
Accuracy	: $\pm 0.2\%$ (10 to 30°C)
Repeatability	: Brix $\pm 0.1\%$
International protection class	: IP65 (except eye piece)
Size and weight	: 3.3×3.3×20.4cm, 160g



MASTER SERIES REFRACTOMETER (A.T.C.)

MASTER-T Cat.No. 2312

NEW

This is the successor model to the conventional ATC-1E. Automatic Temperature Compensation feature only. The Master-T is a good alternative choice when the water resistant feature is not a priority.

Scale range	: Brix 0.0 to 33.0% (Automatic Temperature Compensation)
Minimum scale	: 0.2%
Accuracy	: $\pm 0.2\%$ (10 to 30°C)
Repeatability	: Brix $\pm 0.1\%$
Size and weight	: 3.3×3.3×20.4cm, 160g



MASTER SERIES REFRACTOMETER (A.T.C.)

MASTER-2T Cat.No. 2322

NEW

MASTER-2T is mid-range model of the MASTER-T. Automatic Temperature Compensation feature only. The Master-T is a good alternative choice when the water resistant feature is not a priority.

Scale range	: Brix 28.0 to 62.0% (Automatic Temperature Compensation)
Minimum scale	: 0.2%
Accuracy	: $\pm 0.2\%$ (10 to 30°C)
Repeatability	: Brix $\pm 0.1\%$
Size and weight	: 3.3×3.3×20.4cm, 160g




MASTER SERIES REFRACTOMETER

MASTER-M Cat.No. 2313

NEW

This is the successor model to the conventional N-1α. The Master-M is a good alternative choice when the water resistant feature is not a priority and the Temperature Compensation will be carried out manually. Not equipped with the Automatic Temperature Compensation feature.

Scale range	: Brix 0.0 to 33.0%
Minimum Scale	: 0.2%
Size and weight	: 3.3×3.3×20.4cm, 160g




MASTER SERIES REFRACTOMETER

MASTER-2M Cat.No. 2323

NEW

MASTER-2M is mid-range measurement range Brix 28.0 to 62.0% model of the MASTER-M. The Master-M is a good alternative choice when the water resistant feature is not a priority and the Temperature Compensation will be carried out manually.

Scale range	: Brix 28.0 to 62.0%
Minimum Scale	: 0.2%
Size and weight	: 3.3×3.3×20.4cm, 160g




MASTER SERIES REFRACTOMETER (Water Resistant & A.T.C.)

MASTER-3 α Cat.No.2331 MASTER-4 α Cat.No.2341


NEW

MASTER-3 α , MASTER-4 α are high-range model of the MASTER- α . The MASTER-3 α , MASTER-4 α are suited for use with food products of high sugar content such as malt, honey, jam, marmalade, etc

Scale range	:MASTER-3 α Brix 58.0% to 90.0% MASTER-4 α Brix 45.0% to 82.0%
Minimum scale	:Brix0.2%
Accuracy	:Brix \pm 0.2% (10 to 40°C)
Repeatability	:Brix \pm 0.1%
Size and weight	:3.3×3.3×16.8cm,120g



MASTER-3 α



MASTER-4 α

MASTER SERIES REFRACTOMETER (A.T.C.)

MASTER-3T Cat.No.2332 MASTER-4T Cat.No.2342

NEW

MASTER-3T, MASTER-4T are high-range model of the MASTER-T. Automatic Temperature Compensation feature only. MASTER-3T, MASTER-4T are a good alternative choice when the water resistant feature is not a priority.

Scale range	:MASTER-3T Brix 58.0% to 90.0% MASTER-4T Brix 45.0% to 82.0%
Minimum scale	:Brix0.2%
Accuracy	:Brix \pm 0.2% (10 to 40°C)
Repeatability	:Brix \pm 0.1%
Size and weight	:3.3×3.3×16.8cm,120g



MASTER-3T



MASTER-4T

MASTER SERIES REFRACTOMETER

MASTER-3M Cat.No.2333 MASTER-4M Cat.No.2343

NEW

MASTER-3M, MASTER-4M are high-range model of the MASTER-M. MASTER-3M, MASTER-4M are a good alternative choice when the water resistant feature is not a priority and the Temperature Compensation will be carried out manually.

Scale range	:MASTER-3M Brix 58.0% to 90.0% MASTER-4M Brix 45.0% to 82.0%
Minimum scale	:Brix0.2%
Size and weight	:3.3×3.3×16.8cm,120g



MASTER-3M



MASTER-4M

MASTER SERIES REFRACTOMETER (Water Resistant & A.T.C.)

MASTER-53 α Cat.No. 2351

NEW

MASTER-53 α is wide range model of the MASTER- α . MASTER-53 α is capable of measuring not only various kinds of juice, coffee, and other beverages but also processed food such as sauce, ketchup, low calorie jam, etc. It is an Automatic Temperature Compensation (A.T.C.) model with water resistant feature (IP65).

Scale range	:0.0% to 53.0%
Minimum scale	:Brix0.5%
Accuracy	:Brix \pm 0.5% (10 to 30°C)
Repeatability	:Brix \pm 0.25%
Size and weight	:3.3×3.3×16.8cm,120g




MASTER SERIES REFRACTOMETER (A.T.C.)

MASTER-53T Cat.No.2352

NEW

MASTER-53T is wide range model of the MASTER-T. MASTER-53T is capable of measuring not only various kinds of juice, coffee, and other beverages but also processed food such as sauce, ketchup, low calorie jam, etc. It is an Automatic Temperature Compensation (A.T.C.) model. The Master-53T is a good alternative choice when the water resistant feature is not a priority.

Scale range	:MASTER-53T Brix0.0% to 53.0%
Minimum scale	:Brix0.5%
Accuracy	:Brix \pm 0.5% (10 to 30°C)
Repeatability	:Brix \pm 0.25%
Size and weight	:3.3×3.3×16.8cm,120g



MASTER SERIES REFRACTOMETER

MASTER-53M Cat.No.2353

NEW

MASTER-53M is wide range model of the MASTER-M. The MASTER-53M is a good alternative choice when the water resistant feature is not a priority and the Temperature Compensation will be carried out manually.

Scale range	:Brix0.0% to 53.0%
Minimum scale	:Brix0.5%
Size and weight	:3.3×3.3×16.8cm,120g



MASTER SERIES REFRACTOMETER

MASTER-RI Cat.No.2612

NEW

MASTER-RI is refractive-index model of the MASTER-Series. MASTER-RI can be used for measuring the refractive index of vegetable oil, petroleum, oil slicks, etc.


Scale range	:Refractive index 1.435 to 1.520
Minimum scale	:Refractive index 0.001
Size and weight	:3.3×3.3×16.8cm,120g



Technical Information

Light Refraction

When a straw is placed into a glass of water, the straw appears bent. Now if a straw is placed in a glass with water containing dissolved sugar, the straw should appear even more bent (see illustrations). This phenomenon is known as the principle of light refraction. Refractometers are measuring instruments which put this phenomenon of light refraction to practical use. They are based on the principle that as the density of a substance increases (e.g. when sugar is dissolved in water), its refractive index (how much the straw appears bent) rises proportionately.




Refractometers were devised by Dr. Ernst Abbe, a German/Austrian scientist in the early 20th century.

Principles of Refractometers

The detection system for hand-held refractometers (transparent system) is summarized below.

- (1) In the figure below the detection is done by utilizing the refractive phenomenon produced on the boundary of the prism and sample. The refractive index of the prism is much larger than that of the sample.
- (2) If the sample is thin, the angle of refraction is large (see line "A") because of the large difference in refractive index between the prism and the sample.
- (3) If the sample is thick, the angle of refraction is small (see line "B") because of the small difference in refractive index between the prism and the sample.



Which Refractometer to choose

Please use as a guide with a chart of back page when you choose the refractometer.

Known sample's typical concentration

Fruits,
Fruit juices,
Soft Drinks

Food
Industry

Chemical
Industry


Concentration sample Designation	0	10	20	30	40	50	60	70	80	90
Oranges, Pears										
Tomatoes										
Apples, Melons										
Strawberries, Peaches										
Grapes										
Water melons, Plums										
Concentrated fruit juices										
Fruit juices										
Tomato puree										
Tomato juices										
Coke, Carbonated beverages										
Nectar										
Lactic acid bacteria beverage										
Coffee										
Condensed milk										
Molasses										
Canned syrup										
Starch sugar liquid										
Pudding, Yogurt										
Soy sauce										
Yeast culture										
Wines										
Bean milk										
Canned fruits										
Egg yolk										
Steak sauce, Ketchup										
Milk										
Pickles										
Jelly, Marmalade, Flour paste										
Cooking oils										
Cutting oil										
Starch paste										
Emulsified solution										
Soluble tempering oil										
Antifreeze mixture										
Oils										

About the Brix (%) Scale

All Refractometers are designed to measure the refractive index of a solution. The Brix scale is based on a sucrose (sugar) and water solution. However, since most samples contain substances other than sugar - such as salts, minerals and proteins - the Brix percentage represents the total

concentration of all soluble solids in the sample. For certain samples, such as cutting oils and other industrial fluids, a conversion chart from the Brix percentage to the sample's total concentration may be necessary.

■ Measurement range for each model



■ EXPLANATION OF ICONS Icons for functions, specifications and scales have been added to this catalog.



- Automatic Temperature Compensation
- Compensation automatique de température
- Automatische Temperaturkompensation
- Compensazione automatica della temperatura
- Compensación de automática de temperatura
- 自動温度補償



- External Light Interference
- Interférence de la lumière externe
- Äußere Lichteinflüsse
- Interferenza della luce esterna
- Luz de Interferencia Externa
- 外部光線干渉



- High temperature samples
- Résistant à la chaleur
- Hitzebeständig
- Resistente al calore
- Muestras De Alta Temperatura
- 高温標品用



- Calibration with exclusive standard liquid
- Calibration 1 point sur solution standard
- Kalibrierung mit speziellem Standard
- Calibrazione 1 point sur solution standard
- Calibración con patrones líquidos especiales
- 使用專屬標準液歸零



- Calibration with water
- Calibration 1 point* sur eau distillée
- Kalibrierung mit Wasser
- Calibrazione con acqua
- Calibración con agua
- 用水歸零



- Compact and easy to carry
- Portable
- Leicht und einfach zu tragen
- Calibrazione con liquidi standard esclusivi
- Compacto y fácil de llevar
- 輕巧易於攜帶



- Digital display
- Affichage numérique
- Digital Anzeige
- Display digitale
- Pantalla digital
- 數字顯示



- Battery operated
- Alimentation par pile
- Batteriebetrieben
- Alimentazione a batteria
- Funcionamiento con batería
- 使用電池操作



- Refractive index scale
- Indice de réfraction
- Skala fuer Refraktive Index
- Indice di rifrazione
- Escala de índice de refracción
- 折光率刻度



- Salt concentration scale
- Teneur en sel
- Skala fuer Salzkonzentration
- Salinità%
- Escala de concentración salina
- 鹽分濃度刻度



- Seawater scale
- Spécial eau de mer
- Seewasserskala
- Salinità o/oo
- Escala de agua de mar
- 海水刻度



- Wine scale
- Spécial viticulture
- Skala fuer Wein
- Scale Enologia
- Escala de vinos
- 葡萄酒刻度

По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Смоленск (4812)29-41-54
Астана +7(7172)727-132	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Сочи (862)225-72-31
Белгород (4722)40-23-64	Кемерово (3842)65-04-62	Новосибирск (383)227-86-73	Ставрополь (8652)20-65-13
Брянск (4832)59-03-52	Киров (8332)68-02-04	Орел (4862)44-53-42	Тверь (4822)63-31-35
Владивосток (423)249-28-31	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Томск (3822)98-41-53
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Тула (4872)74-02-29
Вологда (8172)26-41-59	Курск (4712)77-13-04	Пермь (342)205-81-47	Тюмень (3452)66-21-18
Воронеж (473)204-51-73	Липецк (4742)52-20-81	Ростов-на-Дону (863)308-18-15	Ульяновск (8422)24-23-59
Екатеринбург (343)384-55-89	Магнитогорск (3519)55-03-13	Рязань (4912)46-61-64	Уфа (347)229-48-12
Иваново (4932)77-34-06	Москва (495)268-04-70	Самара (846)206-03-16	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Мурманск (8152)59-64-93	Санкт-Петербург (812)309-46-40	Череповец (8202)49-02-64
Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Саратов (845)249-38-78	Ярославль (4852)69-52-93

сайт: www.atago.nt-rt.ru || эл. почта: ago@nt-rt.ru